

1: Kawasaki, Y.; Sekiguchi, M.; Kawasaki, M.; Hirakura, Y. Thermodynamic evaluation of the binding of bisphosphonates to human farnesyl pyrophosphate synthase. *Chemical and Pharmaceutical Bulletin* **2014**, *62(1)*, 77-83.

2: Sekiguchi, M.; Kobashigawa, Y.; Moriguchi, H.; Kawasaki, M.; Yuda, M.; Teramura, T.; Inagaki, F. High-throughput evaluation method for drug association with Pregnane X Receptor (PXR) using differential scanning fluorometry. *Journal of Biomolecular Screening* **2013**, *18(9)*, 1084-1091.

3: Kobashigawa, Y.; Saio, T.; Ushio, M.; Sekiguchi, M.; Yokochi, M.; Ogura, K.; Inagaki, F. Convenient method for resolving degeneracies due to symmetry of the magnetic susceptibility tensor and its application to pseudo contact shift-based protein-protein complex structure. *Journal of Biomolecular NMR* **2012**, *53(1)*, 53-63.

4: Tagusagawa, S.; Lier, J.J.; Suzuki, K.; Nagata, M.; Meijer, J.; Krauwinkel, W.; Schaddelee, M.; Sekiguchi, M.; Miyashita, A.; Iwatsubo, T.; Gelderen, M.; Usui, T. Absorption, metabolism and excretion of [14C] Mirabegron (YM178), a potent and selective β_3 -adrenoceptor agonist, after oral administration to healthy male volunteers. *Drug metabolism and Disposition* **2012**, *40(4)*, 815-824.

5: Sekiguchi, M.; Kobashigawa, Y.; Kawasaki, M.; Yokochi, M.; Kiso, T.; Suzumura, K.; Mori, K.; Teramura, T.; Inagaki, F. An evaluation tool for FKBP12-dependent and -independent mTOR inhibitors using a combination of FKBP-mTOR fusion protein, DSC and NMR. *Protein Engineering Design and Selection* **2011**, *24(11)*, 811-817.

6: Takahashi, Y.; Iinuma, Y.; Kubota, T.; Tsuda, M.; Sekiguchi, M.; Mikami, Y.; Fromont, J.; Kobayashi, J. Hyrtioseragamines A and B, new alkaloids from the sponge *Hyrtios* species. *Organic Letters* **2011**, *13(4)*, 628-31.

7: Sekiguchi, M.; Hirasawa, Y.; Zaima, K.; Hoe, T.C.; Chan, K.L.; Morita, H. Flavisiamines E-F and Fruticosiamine A, new methyl chanofructosinate- and aspidofractinine-type indole alkaloids, from two species of *Kopsia*. *Heterocycles* **2008**, *76(1)*, 867-871.

8: Sekiguchi, M.; Hirasawa, Y.; Zaima, K.; Hoe, T.C.; Chan, K.L.; Morita, H. Flavisiamines A-D, new indole alkaloids from *Kopsia flavida*. *Heterocycles* **2008**, *75(9)*, 2283-2288.

- 9: Hasegawa, T.; Togo, S.; Hisamatsu, Y.; Yamada, K.; Suenaga, K.; Sekiguchi, M.; Shigemori, H.; Hasegawa, K. Isolation and structure elucidation of a potent growth inhibitor, Helian, from blue light-illuminated Sunflower (*Helianthus annuus*) Hypocotyls. *Heterocycles* **2007**, *71*(3), 609-617.
- 10: Choo, CY.; Hirasawa, Y.; Karimata, C.; Koyama, K.; Sekiguchi, M.; Kobayashi, J.; Morita, H. Carinatamins A-C, new alkaloids from *Lycopodium carinatum* inhibiting acetylcholinesterase. *Bioorganic & Medicinal Chemistry* **2007**; *15*(4), 1703-1707.
- 11: Kubota, T.; Matsuno, Y.; Morita, H.; Shinzato, T.; Sekiguchi, M.; Kobayashi, J. Daphnenidines A–D, new daphniphyllum alkaloids from *Daphniphyllum teijsmannii*. *Tetrahedron* **2006**, *20*(15), 4743-4748.
- 12: Tsuda, M.; Yasuda, T.; Fukushi, E.; Kawabata, J.; Sekiguchi, M.; Fromont, J.; Kobayashi, J. Agesamides A and B, bromopyrrole alkaloids from sponge *Agelas* species: application of DOSY for chemical screening of new metabolites. *Organic Letters* **2006**, *8*(19), 4235-4238.
- 13: Morita, H.; Eda, M.; Iizuka, T.; Hirasawa, Y.; Sekiguchi, M.; Yun, YS.; Itokawa, H.; Takeya, K. Structure of a new cyclic nonapeptide, segetalin F, and vasorelaxant activity of segetalins from *Vaccaria segetalis*. *Bioorganic & Medicinal Chemistry Letters* **2006**, *16*(17), 4458-61.
- 14: Nakajyo, H.; Hisamatsu, Y.; Sekiguchi, M.; Goto, N.; Hasegawa, K.; Shigemori, H. Arabidopside F, New Oxylipin from *Arabidopsis thaliana*. *Heterocycles* **2006**, *69*(1), 295-301.
- 15: Sasaki, M.; Tsuda, M.; Sekiguchi, M.; Mikami, Y.; Kobayashi, J. Perinadine A, a novel tetracyclic alkaloid from marine-derived fungus *Penicillium citrinum*. *Organic Letters* **2005**, *7*(19):4261-4264.
- 16: Ishiyama, H.; Matsumoto, M.; Sekiguchi, M.; Shigemori, H.; Ohsaki, A.; Kobayashi, J. Two new indole alkaloids from *Aspidosperma subincanum* and *Geissospermum vellosii*. *Heterocycles* **2005**, *66*(1), 651-658.
- 17: Hisamatsu, Y.; Goto, N.; Sekiguchi, M.; Hasegawa, K.; Shigemori, H. Oxylipins arabidopsides C and D from *Arabidopsis thaliana*. *Journal of Natural Products* **2005**, *68*(4), 600-603.

- 18: Taniguchi, M.; Suzumura, K.; Nagai, K.; Kawasaki, T.; Takasaki, J.; Sekiguchi, M.; Moritani, Y.; Saito, T.; Hayashi, K.; Fujita, S.; Tsukamoto, S.; Suzuki, K. YM-254890 analogues, novel cyclic depsipeptides with Galpha(q/11) inhibitory activity from *Chromobacterium* sp. QS3666. *Bioorganic & Medicinal Chemistry* **2004**, *12*(12), 3125-3133.
- 19: Zenitani, S.; Shindo, K.; Tashiro, S.; Sekiguchi, M.; Nishimori, M.; Suzuki, K.; Imoto, M. Gerfelin, a novel inhibitor of geranylgeranyl diphosphate synthase from *Beauveria felina* QN22047. II. Structural elucidation. *The Journal of Antibiotics (Tokyo)* **2003**, *56*(7), 658-60.
- 20: Shigemori, H.; Shimamoto, S.; Sekiguchi, M.; Ohsaki, A.; Kobayashi, J. Echinodolides A and B, new cembrane diterpenoids with an eight-membered lactone ring from the leaves of *Echinodorus macrophyllus*. *Journal of Natural Products* **2002**, *65*(1), 82-84.
- 21: Kobayashi, J.; Sekiguchi, M.; Shimamoto, S.; Shigemori, H.; Ishiyama, H.; Ohsaki, A. Subincanadines A-C, novel quaternary indole alkaloids from *Aspidosperma subincanum*. *Journal of Organic Chemistry* **2002**, *67*(18), 6449-6455.
- 22: Sekiguchi, M.; Shigemori, H.; Ohsaki, A.; Kobayashi, J. Renealtins A and B, new diarylheptanoids with a tetrahydrofuran ring from the seeds of *Renalmia exaltata*. *Journal of Natural Products* **2002**, *65*(3), 375-376.
- 23: Sekiguchi, M.; Shigemori, H.; Ohsaki, A.; Kobayashi, J. Pacovatinins A-C, new labdane diterpenoids from the seeds of *Renalmia exaltata*. *Journal of Natural Products* **2001**, *64*(8), 1102-1106.
- 24: Kobayashi, J.; Sekiguchi, M.; Shimamoto, S.; Shigemori, H.; Ohsaki, A. Echinophyllins C-F, New nitrogen-containing clerodane diterpenoids from *Echinodorus macrophyllus*. *Journal of Natural Products* **2000**, *63* (11), 1576-1579.
- 25: Kobayashi, J.; Sekiguchi, M.; Shigemori, H.; Ohsaki, A. Echinophyllins A and B, novel nitrogen-containing clerodane diterpenoids from *Echinodorus macrophyllus*. *Tetrahedron Letters* **2000**, *41*(16), 2939-2943.
- 26: Kobayashi, J.; Sekiguchi, M.; Shigemori, H.; Ohsaki, A. Chapecoderins A-C, new labdane-derived diterpenoids from *Echinodorus macrophyllus*. *Journal of Natural Products* **2000**, *63*(3),

375-377.